

Stainless Steel Scrub Sinks and Faucets



Single Surgeon's Scrub Sink

- Compatible with any of our faucet options
- Wall mounting bracket included
- Outside measures 31" wide x 23 1/2" x 16 1/2" tall including back splash
- Inside measures 28" wide x 20" x 10 1/2" deep
- Durable 16 gauge stainless steel construction

106-1133-10 Single Surgeon's Scrub Sink



Double Surgeon's Scrub Sink

- Compatible with any of our faucet options
- Wall mounting bracket included
- Outside measures 43" wide x 23 1/2" x 16 1/2" tall including back splash
- Inside measures 40" wide x 20" x 10 1/2" deep
- Durable 16 gauge stainless steel construction

106-2133-10 Double Surgeon's Scrub Sink



Single Surgeon's Scrub Sink with Infrared Faucet & Thermostatic Mixing Valve

- 110V direct wired electrical service is required for operation
- Infrared sensor is not affected by varying color tones or bright lights
- Set water temperature to preference with the thermostatic mixing valve and your ideal water temperature will flow every time without adjustment
- Infrared faucet turns water on and off when hands enter and leave lavatory bowl

106-1133-14 Single Surgeon's Scrub Sink, Infrared Faucet & Thermostatic Mixing Valve

See Single Surgeon's Scrub Sink Above For Sink Specifications



Shown with Knee Valve



Foot Valve



Double Pedal Valve

Single Surgeon's Scrub Sink with Gooseneck Faucet & Choice of Valve

- Gooseneck faucet is 11 3/8" high – made from chrome plated brass
- Knee valve mounts to back wall – bracket is included
- Knee valve will remain in set position
- Heavy duty cam stirrup allows mixing hot & cold water
- Foot valve is floor-mounted, with separate hot & cold water controls
- Double pedal provides simple foot operated hot & cold water control
- Double pedal valve is wall-mounted allowing the floor to remain unobstructed

106-1133-01 Sink, Gooseneck Faucet & Knee Valve

106-1133-02 Sink, Gooseneck Faucet & Foot Valve

106-1133-05 Sink, Gooseneck Faucet & Double Pedal Valve

All Sinks On This Page Include Strainer Basket

Stainless Steel Scrub Sink Accessories



58

Infrared Faucet & Mixing Valve

- 110V direct wired electrical service is required for operation
- Electronic solenoid valve regulates water flow for smooth stops and starts
- Infrared sensor is not affected by varying color tones or bright lights
- Set water temperature to preference with the thermostatic mixing valve, and your ideal water temperature will flow every time without adjustment
- Infrared faucet turns water on and off when hands enter and leave lavatory bowl

107-5292-00 Infrared Faucet & Thermostatic Mixing Valve

Gooseneck Faucet

- Durable chrome plated brass construction
- Professional quality surgical design
- Rosespray outlet minimizes splatter
- Features 5 1/2" spread rigid gooseneck

107-4292-00 Gooseneck Faucet

Double Pedal Valve

- Pedals extend 13 3/4" from wall to pedal tips
- Pedal valve is wall-mounted – floor remains unobstructed
- Double pedal provides simple foot operated hot & cold water control

107-3292-00 Double Pedal Valve

Knee Action Faucet Valve

- Knee valve will remain in set position
- Heavy duty cam stirrup allows mixing hot & cold water
- Knee valve mounts to back wall – bracket is included

107-2292-00 Knee Action Faucet Valve

Foot Action Faucet Valve

- Keeps hands sanitary with no need to touch knobs with hands
- Features double pedal for separate hot & cold water control
- Floor mounted

107-3392-00 Foot Action Faucet Valve

Economy Hand Sink with Medical Faucet

- 16 gauge, 304, #4 polished stainless steel
- Drain set and strainer basket are included
- Wall mount bracket is included
- Outside measures 17" wide x 15" x 13" tall including back splash
- Inside measures 14" wide x 11 1/2" x 5" deep
- Oversized faucet controls may be operated by hand, elbow or wrist
- Stainless steel sink has high back splash to protect the wall

106-1100-00 Economy Hand Sink with Medical Faucet

Counter Top Sinks



Stainless Steel Counter Top Sink

- Choose either 8" or 4" center hole pattern
- 17" x 19" x 6 1/8" outside dimensions (14" x 14" inside dimensions)
- Self-rimmed sink installs easily
- 20 gauge stainless steel

106-3114-18 Stainless Steel Counter Top Sink, 17" x 19", 8" C/C

106-3114-17 Stainless Steel Counter Top Sink, 17" x 19", 4" C/C



Stainless Steel Counter Top Sink

- 4" center hole pattern
- Compact 15" x 15" outside dimensions
- Self-rimmed sink installs easily
- 11" x 10" x 6" deep inside dimensions
- 20 gauge stainless steel

106-3111-10 Stainless Steel Counter Top Sink, 15" x 15"



Sink Faucet with Swivel Gooseneck

- Two separate handles control temperature and rate of flow
- Faucet swivels
- Durable, heavy bronze wall construction with polished chrome finish (Internal parts are replaceable)
- Faucet mounts on standard 4" centers

107-4142-03 Sink Faucet with Swivel Gooseneck



Economy Sink Faucet with Swivel Gooseneck

- Faucet swivels
- Durable, heavy bronze wall construction with polished chrome finish (Internal parts are replaceable)
- Faucet mounts on standard 4" centers

107-4142-04 Economy Sink Faucet with Swivel Gooseneck