

VSSI Excel Surgery Light

Higher Output and Improved Shadow Control

Smooth Articulating Head
Rotates 540°

Large, Prefocused Pattern with Homogenous Light Distribution

Simple Bulb Replacement
Bulb Life: 2000 Hours

3-Year Warranty

36" Minimum Depth of Field

Large Positioning Handle Located on the Perimeter is easily accessible

Over 4000° Kelvin Color Temperature provided by the color-correcting, heat absorbing glass cylinder.

6,000 Foot-Candles Illumination at 1 meter distance, 11-12V/90W halogen bulb.

Large 16" Diameter, Multi-Faceted Reflector is designed for improved shadow reduction.

Removable Sterilizable Handle

57" Articulating Arm Is Easy to Maneuver

Adjustable compression spring arm allows light to be positioned precisely and effortlessly – rotates 40° up and down from horizontal.

Available in Wall, Portable Floor, Single, Dual or Combination Ceiling Mountings

For Optional Ceiling Track Mount - see page 72 ▶



VSSI Excel Surgery Light


121-0515-12	VSSI Excel Surgery Light, Wall Mount
121-0515-13	VSSI Excel Surgery Light, Floor Model
121-0515-14	VSSI Excel Surgery Light, Single Ceiling Mount
121-0515-15	VSSI Excel Surgery Light, Dual Ceiling Mount
121-0585-15	VSSI Excel Surgery & Spot Light Combination
121-1282-00	Extra Sterilizable Handle
121-1256-00	Replacement Bulb for Surgery Light

VSSI Lights Offer Exceptional Performance & Versatility



Surgery Light

- Three year warranty
- Available with variety of mounting options
- Removable sterilizable handle and additional positioning handle
- Lamp head rotates 540°
- Easily maneuverable arm rotates 40° up and down from horizontal
- Light is mounted on 57" articulating arm
- 12V/100W halogen bulb and safety fuse are easy to replace
- 4000° Kelvin light provides good visual clarity with low heat output
- Infrared absorbing glass cylinder corrects color temperature
- 4300 foot-candles illumination at 36" distance
- Provides prefocused 6" spot at 39"
- Large 15" diameter reflector
- Highly efficient single reflector provides optimal shadow-free lighting
- Bulb life: 2000 hours




- A. 121-0215-12 Wall Mount
- B. 121-0215-13 Floor Model with Casters
- C. 121-0215-14 Single Fixed Ceiling Mount
- D. 121-0215-15 Dual Fixed Ceiling Mount
 - 121-0240-11 Ceiling Track Mount, Single
 - 121-0240-12 Ceiling Track Mount, Double
 - 121-1282-00 Extra Sterilizable Handle
 - 121-1256-00 Replacement Bulb for Surgery Light

71



Exam/Diagnostic Light

- Three year warranty
- Available with variety of mounting options
- Positioning handle mounted on the perimeter of the light
- Lamp head rotates 540°
- Easily maneuverable arm rotates 40° up and down from horizontal
- Light is mounted on 57" articulating arm
- 12V/75W halogen bulb and safety fuse are easy to replace
- 4000 foot-candles illumination at 24"
- 4000° Kelvin color temperature
- Provides prefocused 6" spot at 24"
- Multi-faceted reflector allows small objects to pass through the light beam without casting a shadow
- Highly efficient, compact and versatile
- Bulb life: 2000 hours



- A. 121-0213-12 Wall Mount
- B. 121-0213-13 Floor Model with Casters
- C. 121-0213-14 Single Fixed Ceiling Mount
- D. 121-0213-15 Dual Fixed Ceiling Mount
 - 121-0240-11 Ceiling Track Mount, Single
 - 121-0240-12 Ceiling Track Mount, Double
 - 121-1257-00 Replacement Bulb for Exam/Diagnostic Light

For ceilings over 9' 6", ceiling rod extensions may be needed, call for details

All VSSI lights are covered by a full 3 year warranty against any defects in material or workmanship!

1-800-299-9525


fax 417-358-4716 • www.vssi.com • e-mail vssi@vssi.com

Innovative Designs Put Correct Light Where You Need It



Spot Light

- Three year warranty
- Available with variety of mounting options
- Positioning handle mounted on the perimeter of the light
- Lamp head rotates 540°
- Easily maneuverable arm rotates 40° up and down from horizontal
- Light is mounted on 57" articulating arm
- 20V/150W halogen bulb and safety fuse are easy to replace
- 3200° Kelvin light provides good visual clarity with low heat output
- Infrared absorbing glass filter corrects color temperature
- 2000 foot-candles homogenous illumination at 36" distance
- Continuously adjustable from 3" to 16" diameter spot at 36" distance
- Offers exceptional performance and versatility
- Bulb life: 500 hours



- A. 121-0228-12 Wall Mount
- B. 121-0228-13 Floor Model with Casters
- C. 121-0228-14 Single Fixed Ceiling Mount
- D. 121-0228-15 Dual Fixed Ceiling Mount
- 121-0240-11 Ceiling Track Mount, Single
- 121-0240-12 Ceiling Track Mount, Double
- 121-1255-00 Replacement Bulb for Spot Light

72



Combination Surgery Light & Spot Light

- Three year warranty
- Refer to Surgery Light and Spot Light above for more information
- Both lights are mounted on 57" articulating arms
- Available with single fixed ceiling mount or with track mounting
- Ideal lighting versatility for surgery and examination
- Shown below with optional Ceiling Track Mount

121-0285-15 Dual Fixed Ceiling Mount



Ceiling Track Mount for Lights

- Single track shown
- Double track is two single tracks side by side
- Length: 6' ; Mobility: 5'

121-0240-11 Single

121-0240-12 Double

VSSI medical lighting offers pure, cool light for visual clarity and high color rendering. Innovative designs promote ease of use & effective light distribution.